

linea **FASADECAP**

Acrylic paint for outdoor use



ARREGGHINI[®]
ITALIAN PAINTS SINCE 1950




Beton

Anticarbonation paint



Water-soluble paint for outdoor use, with high adhesion properties on different types of surfaces. It is resistant to water and CO₂, it is indicated as a specific anticarbonation paint. Thanks to the ease of application, it is ideal for professional use. Its high quality, with a high level of refinement, ensures maximum protection. Once dry, it maintains the aesthetic effect of the visible concrete with an anti dust effect, so as to allow easy cleaning.



9-11 m²/l 18h +5°C +30°C 5-15% 5-15% 0-10% +5°C +30°C



RESISTANT TO UV
SCRUB RESISTANT
EXCELLENT IMPERMEABILITY TO CARBON DIOXIDE
LOW DIRT RETENTION

Colour: White.
 The range of colours can be extended in the pastel shades found on the Tucano colour samplers. The colours are obtainable with the Arreghini Colors 16 system. Between a production and the other the colour may be slightly different, it is therefore necessary to finish the work with the same production.



linea FASADDECAP

Acrylic paint for outdoor use

Beton
 Anticarbonation paint

Esterno
 Matt paint for exteriors

Esterno Quarzo
 Matt quartz paint for exteriors

The technical information stated is approximate. It is advisable to follow the specific conditions of use. For more detailed information see the data sheet that is downloadable from our website www.caparreghini.it



CAP ARREGHINI SpA
 ITALIAN PAINTS SINCE 1950
 V.le Pordenone, 80 - 30026 PORTOGRUARO (VE)
 Tel. +39 0421 278111 - Fax +39 0421 75498
 info@caparreghini.it - www.caparreghini.it
 Azienda con Sistema Certificato UNI EN ISO 9001



linea FASADDECAP

Acrylic paint for outdoor use



FBRFASEN03_ED.04.2013_REV.0



linea FASADecap

Maximum outdoor resistance

This line of acrylic paints for outdoor use includes a series of washable products with high performance. It consists of professional paints with a high degree of resistance of colour outdoors. They are characterized by an excellent covering capacity and the ability to ensure adhesion on different types of surfaces.



Esterno

Matt paint for exteriors





Water-soluble paint, waterproof and adequately breathable, easy to apply, ideal for professional use as it is extremely compatible and has excellent adhesion, filling power and coverage on different types of surfaces.

Its quality ensures good protection and colour resistance outdoors. For the presence of inert lamellar also ensures a good leveling capacity.

For the presence of inert lamellar material, it ensures a discrete levelling capacity.



HIGH COVERAGE
RESISTANT TO WASHING
EXCELLENT ADESION



Colour: White.
The range of colours can be extended in the pastel shades found on the Area 115, Spazio 100 and Tucano colour samplers. The colours are obtainable with the Arreghini Colors 16 system. Between a production and the other the colour may be slightly different, it is therefore necessary to finish the work with the same production.



Esterno Quarzo

Matt quartz paint for exteriors





Water-soluble paint, waterproof and adequately breathable, easy to apply, ideal for professional use as it is extremely compatible and has excellent adhesion, filling power and coverage on different types of surfaces.

Its quality ensures good protection and colour resistance outdoors. The quartz powder contained in it allows it to fill the surface, obtaining a homogeneous and compact finish. Due to its high opacity, it ensures an adequate masking of imperfections in the plaster and hence of the product, in the colours with the reflectance value of light of LRV > 25, is also suitable for painting during maintenance of external thermal insulation systems.



HIGH COVERAGE
RESISTANT TO WASHING
EXCELLENT ADESION
MATT FINISH



Colour: White.
The range of colours can be extended in the shades found on the Area 115, Spazio 100 and Tucano colour samplers. The colours are obtainable with the Arreghini Colors 16 system. Between a production and the other the colour may be slightly different, it is therefore necessary to finish the work with the same production.