

linea **FILLERCAP**

Fillers and mortars



ARREGHINI[®]
ITALIAN PAINTS SINCE 1950



Jolli

Chalk putty for interiors



Powdered filler for indoor use composed of gypsum which is used to fill in and level out plasterboard and various plasters. It can be overcoated with suitable paints. It is formulated with resins to give the product greater adhesion with no cracks.

Colour: White.



+5°C+30°C +5°C+30°C

**ADHESION ON DIFFERENT TYPES OF SURFACES
RESISTANT TO CRACKING**



linea **FILLERCAP**

Fillers and mortars

K29
Acrylic paste putty

Stucco Light
Non-shrinking putty for interiors


Stuccocap
Paste putty for interiors

Jolli
Chalk putty for interiors

*The technical information stated is approximate.
It is advisable to follow the specific conditions of use.
For more detailed information see the data sheet that is
downloadable from our website www.caparreghini.it*



CAP ARREGHINI SpA
ITALIAN PAINTS SINCE 1950
V.le Pordenone, 80 - 30026 PORTOGRUARO (VE)
Tel. +39 0421 278111 - Fax +39 0421 75498
info@caparreghini.it - www.caparreghini.it
Azienda con Sistema Certificato UNI EN ISO 9001



PRRUEEN_LED_04_2013_BEVO

linea **FILLERCAP**

Fillers and mortars



linea **FILLERCAP**

Fillers and mortars

High-performance solutions used for filling and to address several issues such as cracks or crevices. Professional products, that guarantee easy application and processing, with impeccable end results.




K29

Acrylic paste putty



Water based paste made from sand, pigments charges and special binders details that give the product hardness and elasticity. The resins and inert materials are particularly resistant to alkaline surfaces and to atmospheric agents and, therefore K29 is suitable for filling holes and cracks or to restore missing parts of material, especially outdoors. K29 dries quickly and forms a tough, compact mass, which can hold screws and nails.



Colour: Grey.



Stucco Light

Non-shrinking putty for interiors



Filler for walls composed of a paste that is suitable for filling holes and cracks for indoor walls. It is a paste composed of "glass bubbles" 3M that, in comparison to other inert material, has a lower surface area in relation to its volume. This has led to the formulation of Stucco Light, which has a low specific weight and high charge: so that, when applied, it does not show cracks and does not shrink or drop.



**RESISTANT TO CRACKING
IT DOES NOT DROP**



Colour: White.

Stuccocap

Paste putty for interiors



Paste filler for indoor use to be used on plaster and has a filling function. It adheres to different materials and is characterized by its ease of handling. It is ideal to ensure a smooth, overcoat with paints and decorative products.



Colour: White.