

linea **NOVOLEGNO**

Finishings for wood



ARREGHINI[®]
ITALIAN PAINTS SINCE 1950



linea **NOVOLEGNO**

Finishings for wood

Special UV Satin
Solventborne wax effect finishing

Special UV Matt
Solventborne matt wax effect finishing

Special W Matt
Waterborne wax effect finishing

Rinnova
Regenerating protective oil

The technical information stated is approximate. It is advisable to follow the specific conditions of use. For more detailed information see the data sheet downloadable from our website www.caparreghini.it



CAP ARREGHINI SpA
ITALIAN PAINTS SINCE 1950
V.le Pordenone, 80 - 30026 PORTOGRUARO (VE)
Tel. +39 0421 278111 - Fax +39 0421 75498
info@caparreghini.it - www.caparreghini.it
Azienda con Sistema Certificato UNI EN ISO 9001



PRNOVOLEGGNO_02_04_2013_REV0

linea **NOVOLEGNO**

Finishings for wood



linea **NOVOLEGNO**

Finishings for wood

The NOVOLEGNO line offers the ideal solution to protect and preserve wood indoors and outdoors highlighting its natural characteristics.

The water or solvent-based range finishes allow you to choose between matt or satin solutions. The coating film that is obtained, in addition to being resistant to temperature and to weather conditions, provides an aesthetic prolonged effect.

 **ARREGHINI®**
ITALIAN PAINTS SINCE 1950



Special UV Satin

Solventborne wax effect finishing



Special UV Matt

Solventborne matt wax effect finishing



Special W Matt

Waterborne wax effect finishing



Rinnova

Regenerating protective oil



This product is suitable for coating wooden products indoors and outdoors. It is waterproof, easy to apply, ideal for professional use as it has high compatibility, filling and adhesion on different types of impregnating agents. Ensures a finish characterized by high uniformity and by excellent resistance both mechanical and weathering. Necessary elements for the duration of applications, useful for protecting the artefact over time. Its high quality achieves the aesthetic and technical solution for the various painting requirements with a high level of finish and with maximum protection and colour even outdoors in situations of high exposure and in harsh conditions. The characteristics of adequate elasticity, resistance to scratching and wearing, create a film that is stable, durable and attractive also resists to variation in size of the surface to changing climatic conditions.



Waterproof product suitable for painting systems of wooden artefacts indoors and outdoors, easily applicable, with good filling capacity and adhesion on different types of impregnating agents; ensures a finish characterized by high uniformity, good mechanical strength, elasticity and scratch resistance, resulting in a film that is stable, durable and attractive as well as not wearable over time. It is formulated with UV filters and alkyd resins in the solvent phase to guarantee a high level of finish even with a matt "wax effect". It is available in semi-transparent colours, highlighting the grain of the wood, obtained with micronized mineral pigments. Its good coverage and low tendency to drip makes it easy to apply with manual or mechanical tools that allow a finish characterized by excellent visual consistency, equal thickness and adequate coverage of the edges in both the professional and the "do it yourself" version.



This product is suitable for coating systems for wood products indoors and outdoors. It is waterproof, easy to apply, ideal for professional use as it has high compatibility, filling capacity and adhesion on different types of impregnating agents. Ensures a finish characterized by high uniformity and by excellent resistance both mechanical and weathering, necessary elements for the duration of applications, useful for protecting the artefact over time. Its high quality achieves the aesthetic and technical solution for the various painting requirements with a high level of finish and with maximum protection and colour even outdoors in situations of high exposure and in harsh conditions. The characteristics of adequate elasticity, resistance to scratching and wearing create a film that is stable, durable and attractive also resistant to variation in size of the surface due to changing weather conditions.



Colourless outdoor regenerating protective oil retrieves the initial appearance of the artefacts displayed outside restoring their original appearance and renewing the worn surface paint from exposure to the sun and weather conditions in general. It is characterized by extreme ease of application during maintenance. Treatment with rinnova, if done annually it notably extends the life of the paint applied.



HIGHLY RESISTANT TO WEATHER CONDITIONS
WATERPROOF
UV RESISTANT
EASY TO APPLY AND TO RENEW



HIGHLY RESISTANT TO WEATHER CONDITIONS
WATERPROOF
UV RESISTANT
EASY TO APPLY AND TO RENEW




HIGHLY RESISTANT TO WEATHER CONDITIONS
WATERPROOF
UV RESISTANT
EASY TO APPLY AND TO RENEW
WATER-BASED




WATERPROOF
HIGHLY RESISTANT TO UV AND WEATHER CONDITIONS
IDEAL FOR RENEWING OLD PAINTS
COLOURLESS



Colours: as by chart
The colours are feasible with the Arreghini Colors 16 system. It is advisable to check the colour with preliminary tests before application, because the original colour of each type of wood produces a different final shade. Between one production and the other the colour may be slightly different, it is therefore necessary to finish the job with the same production.



Colours: as by chart
The colours are feasible with the Arreghini Colors 16 system. It is advisable to check the colour with preliminary tests before application, because the original colour of each type of wood produces a different final shade. Between one production and the other the colour may be slightly different, it is therefore necessary to finish the job with the same production.



Colours: as by chart
The colours are feasible with the Arreghini Colors 16 system. Between one production and the other the colour may be slightly different, it is therefore necessary to finish the job with the same production.