

linea **WOODCAP**

Specific varnishes for wood




ARREGHINI®
ITALIAN PAINTS SINCE 1950



Riplast 1 lucido o satin


Flatting -glossy/satin-



This product is suitable for coating systems for wooden products indoors and outdoors, waterproof, easy to apply, ideal for professional use as it has high compatibility, filling capacity and adhesion on different types of impregnating agents. Ensures a finish with excellent uniformity and notable mechanical and weather resistance, which are essential elements for the duration of the application, useful for protecting the artefact over time.



- RESISTANT TO WEATHER CONDITIONS**
- RESISTANT TO BRUSHING**
- RESISTANT TO UV**
- ELASTICITY**
- BREATHABLE**



linea WOODCAP

Specific varnishes for wood

Riplast 1

Flatting -glossy/satin-

F23

Colourless waterborne wood undercoat

Eco W 500 lucido o satin

Waterborne wood varnish -glossy/satin-

Eco W 507 satin

Waterborne varnish for wooden floors -satin-

*The technical information stated is approximate.
It is advisable to follow the specific conditions of use.
For more detailed information see the data sheet that is
downloadable from our website www.caparreghini.it*



Colourless.

CAP ARREGHINI SpA
ITALIAN PAINTS SINCE 1950
V.le Pordenone, 80 - 30026 PORTOGRUARO (VE)
Tel. +39 0421 278111 - Fax +39 0421 75498
info@caparreghini.it - www.caparreghini.it
Azienda con Sistema Certificato UNI EN ISO 9001

PRWOODCEN_ED.04.2013_BEVO

linea WOODCAP

Specific varnishes for wood



linea **WOODCAP**

Specific varnishes
for wood

Systems consisting of water based base coats and designed for all needs of different types of wooden products such as flooring and furniture. Highly professional products that ensure results are constantly impressive.



F23


Colourless waterborne wood undercoat



Water-based paint based on acrylic resins, anti ageing mono or dual-component, suitable as background on wooden items indoors. It is ideal for filling holes in wood. F23, catalyzed with Idrocat 10, ensures maximum performance.



SANDBLASTING
FAST DRYING
FILLING POWER



8-10 m²/l 6h +15°C+30°C +5°C+30°C



Colourless.



Eco W 500 lucido o satin

Waterborne wood varnish -glossy/satin-



This product is suitable for coating systems for wooden products indoors, easy to apply, ideal for professional use and is equipped with filling capacity, on hydro soluble sanded surfaces on different wood types. Fast drying, which reduces painting time. Ensures a finish with excellent uniformity and mechanical strength.

Colourless.



11-13 m²/l 6h +15°C+30°C +5°C+30°C

Eco W 507 satin

Waterborne varnish for wooden floors -satin-



Transparent product, suitable for any type of wood to be placed on the floor. Easy to apply, ideal for professional use as it has high compatibility, adhesion, filling capacity and coverage of different wood types. Ensures a uniform finish with excellent mechanical strength

Colourless.



11-13 m²/l 6h +15°C+30°C +5°C+30°C