



PRICE LIST **IGNICAP** PRODUCTS



INDEX

FIRE RESISTANT PRODUCTS

- **IGNISTEEL**
STEEL p. 6
INTUMESCENT SYSTEM FOR OPEN STEEL PROFILES WITH
HIGH MASSIVITY..... p. 7
- **IGNIBETON**
RESISTANCE FOR CONCRETE p. 8
- **IGNIBETON Ei90**
PARETI LATERIZIO INTONACATO NON PORTANTI p. 9
- **IGNIBETON Ei120**
PARETI LATERIZIO INTONACATO NON PORTANTI p. 10
- **IGNIWOOD**
RESISTENZA LEGNO TRASPARENTE p. 11
- **IGNIWOOD COLOR**
RESISTENZA LEGNO PIGMENTATO p. 12

REACTION TO FIRE

- **IGNIWOOD**
WOOD REACTION - TRANSPARENT FINISHING p.14
- **IGNISOL W COLOR**
WOOD REACTION - PIGMENTED FINISHING p.15
- **IGNISOL PARQUET**
WOODEN FLOOR REACTION p.16
- **IGNISOL**
WOOD REACTION - TRANSPARENT FINISHING p.17
- **IGNISOL COLOR**
WOOD REACTION - PIGMENTED FINISHING p.18

FIRE RESISTANT PRODUCTS

It consists of the ability of a building element to maintain:

- The mechanical stability R: when an element keeps its mechanical strengths.
- The endurance E: the ability of a construction element, not to let through flames, hot gases or vapours.
- Thermal insulation I: attitude of a building element to reduce heat transfer.

The acronym REI identifies a construction element, which must retain stability, endurance and insulation.

The abbreviation EI identifies a construction element that must retain its tightness and insulation for a specific time.

The abbreviation RE identifies a construction element, which must retain stability and endurance.

The symbol R identifies a construction element, which must retain stability.

Currently, according to the Ministerial Decree of 16 February 2007, new construction products and elements must be certified according to the new rules under UNI EN 13501.

IGNISTEEL

RESISTANCE FOR STEEL

IGNISTEEL PRIMER W.....	p.6
IGNISTEEL AC PROTETTIVO	p.6
IGNISTEEL AC FINITURA.....	p.6

STEEL RESISTANCE FOR HIGH MASSIVITY PROFILES

IGNISTEEL PRIMER W.....	p.7
IGNISTEEL PAINT	p.7
IGNISTEEL AC FINITURA.....	p.7

IGNIBETON

RESISTANCE FOR CONCRETE

IGNIBETON FONDO	p.8
IGNIBETON CLS	p.8
IGNIBETON FINITURA.....	p.8

IGNIBETON Ei90

NON-BEARING PLASTERED BRICK WALLS

IGNIBETON FONDO.....	p.9
IGNIBETON PROTETTIVO	p.9
IGNIBETON FINITURA.....	p.9

IGNIBETON Ei120

NON-BEARING PLASTERED BRICK WALLS

IGNIBETON FONDO	p.10
IGNIBETON CLS	p.10
IGNIBETON FINITURA.....	p.10

IGNIWOOD

RESISTANCE FOR WOOD - TRANSPARENT FINISHING

CLASSIC W	p.11
IGNIWOOD PROTETTIVO.....	p.11
IGNIWOOD FINITURA.....	p.11

IGNIWOOD COLOR

RESISTANCE FOR WOOD - PIGMENTED FINISHING

IGNIWOOD PROTETTIVO	p.12
IGNIWOOD FINITURA	p.12
IGNIWOOD COLOR	p.12

IGNISTEEL

RESISTANCE FOR STEEL

INTUMESCENT SYSTEM FOR STEEL PROFILES



IGNISTEEL PRIMER W*

Water-based anticorrosive primer

Primer paint with anti-rust effect suitable for preventing corrosion of ferrous metal substrates to be subsequently treated with Ignisteel AC Protettivo. Characterised by excellent wetting of the substrate, excellent adhesion, hardness and flexibility, it withstands natural stresses due to dimensional variations of the substrate as climatic conditions change.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
RAL 7035	Brush, Roller, Airless spray	6 m ² /kg	Kg 10	€ 13,00	€ 130,00	E17A6W7035010



IGNISTEEL AC PROTETTIVO*

Fire retardant and intumescent products

Water-dilutable, APEO free, single-component white intumescent paint for passive fire protection of structural steel elements placed indoors or outdoors in semi-exposed conditions.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO	Brush, Roller, Airless spray	to be calculated	Kg 25	€ 16,50	€ 412,50	YIGNIACP25



IGNISTEEL AC FINITURA

Solvent enamel

Finish enamel for Ignisteel AC Protective. It is formulated with solvent-phase acrylic resins that provide high protection outdoors under severe weathering, industrial and marine conditions. Gloss: < 10.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO or different colours please refer to RAL K7. Price to be requested according to colour.	Roller, Brush, Conventional or Airless spray	9-10 m ² /kg per coat	Kg 5	€ 17,50 (price to be verified depending on RAL colour)	€ 87,50	6INSFXXXXXX

* MARKED PRODUCTS ARE MANDATORY

IGNISTEEL

RESISTANCE FOR STEEL

INTUMESCENT SYSTEM FOR OPEN STEEL PROFILES WITH HIGH MASSIVITY



IGNISTEEL PRIMER W*

Water-based anticorrosive primer

Primer paint with anti-rust effect suitable for preventing corrosion of ferrous metal substrates to be subsequently treated with Ignisteel AC Protettivo. Characterised by excellent wetting of the substrate, excellent adhesion, hardness and flexibility, it withstands natural stresses due to dimensional variations of the substrate as climatic conditions change.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
RAL 7035	Brush, Roller, Airless spray	6 m ² /kg	Kg 10	€ 13,00	€ 130,00	E17A6W7035010



IGNISTEEL PAINT*

Fire retardant and intumescent products for steel profiles with high massivity

Water-dilutable, APEO free, single-component white intumescent paint for passive fire protection of open structural steel elements with massivity ≤804 m-1, placed indoors or outdoors in semi-exposed conditions.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO	Brush, Roller, Airless spray	da calcolare	Kg 20	€ 16,50	€ 330,00	IWLJ3WAPAI020



IGNISTEEL AC FINITURA

Solvent enamel

Finish enamel for Ignisteel AC Protective. It is formulated with solvent-phase acrylic resins that provide high protection outdoors under severe weathering, industrial and marine conditions. Gloss: < 10.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO or different colours please refer to RAL K7. Price to be requested according to colour.	Roller, Brush, Conventional or Airless spray	9-10 m ² /kg per coat	Kg 5	€ 17,50 (price to be verified depending on RAL colour)	€ 87,50	6INSAFXXXXXX

IGNIBETON

RESISTANCE FOR CONCRETE



IGNIBETON FONDO*

Water-based wall primer

Primer for substrates to be treated with Ignibeton CLS or Ignibeton Protettivo.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO	Airless spray, Brush, Roller.	6-8 m ² /Kg	Kg 5	€ 7,50	€ 37,50	MWEA1WA101005
			Kg 25	€ 6,50	€ 162,50	MWEA1WA101025



IGNIBETON CLS*

Fire resistant and intumescent products

Single-component, white, water-dilutable intumescent paint for fire protection of reinforced concrete structural elements, hollow-core concrete floors or plastered non-load-bearing brick walls, placed indoors or outdoors in semi-exposed conditions.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO	Airless spray, Brush, Roller.	To be calculated for each structure according to the required strength and concrete cover	Kg 20	€ 16,50	€ 330,00	YIGNICLS20



IGNIBETON FINITURA

Water-based enamel

Finish enamel for Ignibeton Protective or Ignibeton CLS. Gloss: 30-40.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO or different colours please refer to RAL K7. Price to be requested according to colour.	Airless spray, Roller.	3.5-4.5 m ² /Kg per coat	Kg 5	€ 14,00 (price to be verified depending on RAL colour)	€ 70,00	E17A6WA100005
			Kg 20	€ 13,50 (price to be verified depending on RAL colour)	€ 270,00	E17A6WA100020

* MARKED PRODUCTS ARE MANDATORY

IGNIBETON EI90

NON-BEARING PLASTERED BRICK WALLS



IGNIBETON FONDO*

Water-based wall primer

Primer for substrates to be treated with Ignibeton CLS or Ignibeton Protettivo.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO	Airless spray, Brush, Roller.	6-8 m ² /Kg	Kg 5	€ 7,50	€ 37,50	MWEA1WA101005
			Kg 25	€ 6,50	€ 162,50	MWEA1WA101025



IGNIBETON PROTETTIVO*

Fire resistant and intumescent products

One-component, white, water-dilutable intumescent paint based on phosphoric esters for fire protection of non-load-bearing, plastered brick walls placed indoors or outdoors in semi-exposed conditions..

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO	Airless spray, Brush, Roller.	900 g/m ² (Ei90)	Kg 20	€ 13,50	€ 270,00	IWLJ2WA100020



IGNIBETON FINITURA

Water-based enamel

Finish enamel for Ignibeton Protective or Ignibeton CLS. Gloss: 30-40.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO or different colours please refer to RAL K7. Price to be requested according to colour.	Airless spray, Roller.	3.5-4.5 m ² /Kg per coat	Kg 5	€ 14,00 (price to be verified depending on RAL colour)	€ 70,00	E17A6WA100005
			Kg 20	€ 13,50 (price to be verified depending on RAL colour)	€ 270,00	E17A6WA100020

IGNIBETON E1120

NON-LOAD-BEARING PLASTERED BRICK WALLS



IGNIBETON FONDO*

Water-based wall primer

Primer for substrates to be treated with Ignibeton CLS or Ignibeton Protettivo.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO	Airless spray, Brush, Roller.	6-8 m ² /Kg	Kg 5	€ 7,50	€ 37,50	MWEA1WA101005
			Kg 25	€ 6,50	€ 162,50	MWEA1WA101025



IGNIBETON CLS*

Fire resistant and intumescent products

Single-component, white, water-dilutable intumescent paint for fire protection of reinforced concrete structural elements, hollow-core concrete floors or plastered non-load-bearing brick walls, placed indoors or outdoors in semi-exposed conditions.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO	Airless spray, Brush, Roller.	1400 g/m ²	Kg 20	€ 16,50	€ 330,00	YIGNICLS20



IGNIBETON FINITURA

Water-based enamel

Finish enamel for Ignibeton Protective or Ignibeton CLS. Gloss: 30-40.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO or different colours please refer to RAL K7. Price to be requested according to colour.	Airless spray, Roller.	3.5-4.5 m ² /Kg per coat	Kg 5	€ 14,00 (price to be verified depending on RAL colour)	€ 70,00	E17A6WA100005
			Kg 20	€ 13,50 (price to be verified depending on RAL colour)	€ 270,00	E17A6WA100020

* MARKED PRODUCTS ARE MANDATORY

IGNIWOOD

WOOD RESISTANCE WITH TRANSPARENT FINISH



CLASSIC W

Water-based protective impregnating agent

Water-based acrylic impregnating agent for wood, for interior and exterior use, highly penetrating with a finish that highlights the wood grain.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ AL LT	€ A PACKAGE	CODE
CLASSIC W COLOUR CHART	Brush, Spray, Dipping, Impregnating, Flow-coating.	11-13 m ² /l per coat	L 2,5	€ 12,74	€ 31,85	YNW4A0WNXXXXXX



IGNIWOOD PROTETTIVO*

Water-based fire resistant and intumescent products

This is a system suitable for treating the protection of solid wood and/or glulam structural elements (e.g. beams, floors) placed indoors, whose fire resistance must be increased.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
TRANSPARENT	Spruzzo Airless/ Aircoat, Pennello.	2.5 m ² /kg (coverage 400 g/m ²).	Kg 25	€ 29,00	€ 725,00	IGFJ0W0000025



IGNIWOOD FINITURA*

Solvent-based fire resistant and intumescent products

It is a system suitable for the treatment of solid wood and/or glulam structural elements (e.g. beams, floors) placed indoors, whose fire resistance must be increased.

Gloss: 20-30.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
TRANSPARENT	Spruzzo Airless/ Aircoat, Pennello.	10 m ² /kg (coverage 100 g/m ²).	Kg 4	€ 35,00	€ 140,00	IGHJ3S0000005

IGNIWOOD COLOR

WOOD RESISTANCE WITH PIGMENTED FINISH



IGNIWOOD PROTETTIVO*

Water-based fire resistant and intumescent products

This is a system suitable for treating the protection of solid wood and/or glulam structural elements (e.g. beams, floors) placed indoors, whose fire resistance must be increased.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
TRANSPARENT	Airless/Aircoat spray, Brush.	2.5 m ² /kg (coverage 400 g/m ²).	Kg 25	€ 29,00	€ 725,00	IGFJOW0000025



IGNIWOOD FINITURA*

Solvent-based fire resistant and intumescent products

It is a system suitable for the treatment of solid wood and/or glulam structural elements (e.g. beams, floors) placed indoors, whose fire resistance must be increased. Gloss: 20-30.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
TRANSPARENT	Airless/Aircoat spray, Brush.	10 m ² /kg (coverage 100 g/m ²).	Kg 4	€ 35,00	€ 140,00	IGHJ3S0000005



IGNIWOOD COLOR

Hydro enamel

Pigmented waterborne finishing paint for Igniwood system. Gloss: < 5.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO or different colours please refer to RAL K7. Price to be requested according to colour.	Airless/Aircoat spray, Brush, Roller.	6-8 m ² /kg per coat.	Kg 5	€ 11,00	€ 55,00	UKLA1WA101005

* MARKED PRODUCTS ARE MANDATORY

FIRE RETARDANT PRODUCT

The reaction to fire is the degree to which a combustible material participates to the fire, which it is subjected to.

Classes 0, 1, 2, 3, 4, 5 assigned to wooden artifacts that aren't permanently incorporated into buildings or not subject to CE marking, indicate in ascending order the different levels of participation in combustion.

The certificate for reaction to fire is followed by homologation of the product.

IGNIWOOD

WOOD REACTION - TRANSPARENT FINISHING

CLASSIC W	p. 14
IGNIWOOD PROTETTIVO	p. 14
IGNIWOOD FINITURA	p. 14

IGNISOL W COLOR

WOOD REACTION - PIGMENTED FINISHING

IGNISOL W COLOR	p. 15
-----------------------	-------

IGNISOL PARQUET

WOODEN FLOOR REACTION

IGNISOL PARQUET A+B	p. 16
---------------------------	-------

IGNISOL

WOOD REACTION - TRANSPARENT FINISHING

IGNISOL FONDO A+B	p. 17
IGNISOL FINITURA A+B	p. 17

IGNISOL COLOR

WOOD REACTION - PIGMENTED FINISHING

IGNISOL COLOR FONDO A+B	p. 18
IGNISOL COLOR FINITURA A+B	p. 18

IGNIWOOD

WOOD REACTION - TRANSPARENT FINISHING

(WALL AND/OR CEILING BEADS)



CLASSIC W

Water-based protective impregnating agent

Water-based acrylic impregnating agent for wood, for interior and exterior use, highly penetrating with a finish that highlights the wood grain.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ AL LT	€ A PACKAGE	CODE
CLASSIC W COLOUR CHART	Brush, Spray, Dipping, Impregnating, Flow-coating.	11-13 m ² /l per coat	L 2,5	€ 12,74	€ 31,85	YNW4A0WNXXXXXX



IGNIWOOD PROTETTIVO*

Water-based fire resistant and intumescent products

This is a system suitable for treating the protection of solid wood and/or glulam structural elements (e.g. beams, floors) placed indoors, whose fire resistance must be increased.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
TRANSPARENT	Airless/Aircoat spray, Brush.	2.5 m ² /kg For class 1: 300 g/m ²	Kg 25	€ 29,00	€ 725,00	IGFJ0W0000025



IGNIWOOD FINITURA*

Solvent-based fire resistant and intumescent products

*It is a system suitable for the treatment of solid wood and/or glulam structural elements (e.g. beams, floors) placed indoors, whose fire resistance must be increased.
Gloss: 20-30.*

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
TRANSPARENT	Airless/Aircoat spray, Brush.	10 m ² /kg For class 1: 50 g/m ²	Kg 4	€ 35,00	€ 140,00	IGHJ3S0000005

* MARKED PRODUCTS ARE MANDATORY

IGNISOL W COLOR

WOOD REACTION - PIGMENTED FINISHING

(VERTICAL OR BEAD-BOARD PANELS ARRANGED ON THE WALL AND/OR CEILING)



IGNISOL W COLOR

Fire resistant and intumescent products

This is a white water-dilutable intumescent paint designed and formulated for class 1 protection of wood and wood derivative substrates, arranged on the ceiling, wall or knife (stands, scenery, etc.) installed indoors and which are not subject to mechanical stress. Glossiness: matt.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO	Airless/Aircoat spray, Brush, Roller.	For class 1: 350 g/m ²	Kg 20	€ 13,50	€ 270,00	IWLJ3WA100020

IGNISOL PARQUET

WOODEN FLOOR REACTION

(FLOORS)



IGNISOL PARQUET A+B

Fire resistant and intumescent products

It is a two-component, solvent-based polyurethane system suitable for the Class 1 fire retardant treatment of wooden articles laid indoors, particularly suitable for wooden floors. Gloss: 40-45.

MIXING RATIO: 100 Ignisol Parquet A / 50 Ignisol Parquet B by weight and volume.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
TRANSPARENT	Spray, Brush, Roller.	Per classe 1: 400 g/m ²	PARQUET A Kg 5	€ 18,00	€ 90,00	30HJ4S0000005
			PARQUET B Kg 2,5	€ 18,00	€ 45,00	30IH1S99992V5

IGNISOL

WOOD REACTION - TRANSPARENT FINISHING

(FURNITURE, CHAIRS, TABLES, ETC.)



IGNISOL FONDO A+B

Fire resistant and intumescent products

This is a transparent solvent-based two-component polyurethane system particularly suitable for the Class 1 fire retardant treatment of any type of interior woodwork.

MIXING RATIO: 100 Ignisol Fondo A / 50 Ignisol Fondo B by weight and volume.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
TRANSPARENT	Conventional spray or Aircoat.	For class 1: 300 g/m ²	FONDO A Kg 5	€ 19,00	€ 95,00	35FJ1S0000005
			FONDO B Kg 2,5	€ 19,00	€ 47,50	35IK1S99992V5



IGNISOL FINITURA A+B

Fire resistant and intumescent products

È un sistema poliuretano bicomponente trasparente a base solvente particolarmente indicato per il trattamento ignifugo di Classe 1 di qualsiasi tipo di manufatto in legno per arredamento interno. Gloss: 29-31.

RAPPORTO DI MISCELAZIONE: 100 Ignisol Finitura A / 50 Ignisol Finitura B in peso e in volume.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
TRANSPARENT	Conventional spray or Aircoat.	For class 1: 100 g/m ²	FINITURA A Kg 5	€ 19,00	€ 95,00	IGHJ5S0000005
			FINITURA B Kg 2,5	€ 19,00	€ 47,50	IGIK1S99992V5

IGNISOL COLOR

WOOD REACTION - PIGMENTED FINISHING

(FURNITURE, CHAIRS, TABLES, ETC.)



IGNISOL COLOR FONDO A+B

Fire resistant and intumescent products

It is a two-component, pigmented, solvent-based polyurethane system suitable for the class 1 fireproof treatment of any type of wooden artefact for interior decoration.

MIXING RATIO: 100 A / 50 B by weight; 100 A / 70 B by volume.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO	Conventional spray or Aircoat.	For class 1: 300 g/m ²	FONDO A Kg 5	€ 21,00	€ 105,00	ICFJOSA100005
			FONDO B Kg 2,5	€ 21,00	€ 52,50	ICIKOS99992V5



IGNISOL COLOR FINITURA A+B

Fire resistant and intumescent products

It is a two-component, pigmented, solvent-based polyurethane system suitable for the Class 1 fireproof treatment of any type of wooden artefact for interior decoration.

Gloss: 20-30.

MIXING RATIO: 100 A / 100 B by weight; 100 A / 135 B by volume.

COLOURS	TOOLS	COVERAGE	PACKAGE	€ A Kg	€ A PACKAGE	CODE
BIANCO	Conventional spray or Aircoat.	For class 1: 150 g/m ²	FINITURA A Kg 2,5	€ 21,00	€ 52,50	ICHJ2SA1002V5
			FINITURA B Kg 2,5	€ 21,00	€ 52,50	ICIK1S99992V5

CONDIZIONI GENERALI DI VENDITA

PREMISE

The information contained in the catalogues and other informative material is indicative and may be changed by the company at any time. By placing an order, the Customer fully accepts the following sales and delivery conditions.

PRODUCT CHARACTERISTICS

Any information or data on the characteristics and/or technical specifications of the products contained in brochures, price lists, catalogues or similar documents shall be binding only to the extent that such data are expressly referred to in the sales specifications agreed with the customer.

ORDERS

All orders shall be deemed to be taken subject to our final approval.

PRICES

Prices refer to the price list in force at the time of the order and do not include VAT. These prices are subject to change at any time, even without notice.

PAYMENTS

Payments must be made within the established contractual deadlines, without making discounts, deductions or rebates. Only payments made directly to the headquarters of our Company or to a person with written authorization for collection are considered valid. Payments by R.I.B.A. involve the charge of collection costs in the amount of € 3.00, as well as stamp duty, if due. In the event of late payment, default interest equal to the current ECB reference rate increased by seven points will be applied, starting from the day following the agreed payment deadline, as determined by Article 4 of Legislative Decree no. 231/2002. The unpaid due payment will result in the charge, in addition to default interest, of a reimbursement fee of € 30.00, as well as all bank charges incurred.

RETURN CONDITIONS

The goods travel at the risk of the Customer even if sold "carriage paid". The goods must be taken over by the Customer and must not under any circumstances be left stalling at the courier premises or at another storage or pickup point. Any cost related to storage, late stock, late fees etc. will be charged to the Customer.

The condition of the packages and the number of packages must be checked at the time of delivery. In view of the fact that the goods are delivered placed on pallets, the same number of pallets delivered must be returned to the carrier. The Customer will be required to return the pallets at the time of delivery. In the event that the Customer does not return the pallets at the time of delivery, or returns pallets other than the EUR EPAL standard, an amount of € 15.00 VAT will be charged to the Customer by means of a special invoice for each pallet.

As a contribution of distribution costs, the Customer will be charged on the invoice under the wording CO. SPE. DI. a contribution fee for shipments of less than 500 kg CO. SPE. DI. will amount to € 0.12; for shipments equal to or greater than 500 kg CO. SPE. DI. will amount to € 0.038 except as provided in the section shipping costs list per kg in Italy for whole pallets as detailed on page. 147. If the buyer requests that the products be delivered by vehicles equipped with a tail lift, a CO. SPE. DI. contribution will be requested amounting to 0,044/kg.

TRANSPORT CONDITIONS FOR ADHESIVE/ MORTARS

- Disadvantaged locations, historic centers and smaller islands: additional amount equal to €. 0.10 per kg

- Any additional cost due to delivery in disadvantaged areas or complications created by misinformation (eg incorrect unloading times, impossibility of access to vehicles on retailers, incorrect unloading methods, etc.) will be charged on the invoice.

Pre-delivery Telephone notice € .2.00

Storage cost: 30.00 per pallet

Re-delivery: additional amount equal to 65% of the agreed rate. Disadvantaged locations, historic centers and smaller islands: additional amount equal to 0.065 per kg Parking fee: 35/h

ACCESSORIES TRANSPORT CONDITIONS

For orders less than € 650.00 the recipient will be required a transport contribution of € 25.00, orders over € 650.00 transport is free.

Delivery time: NORTH/CENTRAL ITALY 48/72 h

SOUTH ITALY 72/96 h

ISLANDS 96/120 h

Mandatory order: additional contribution equal to 3% on purchase order

Delivery with tail lift: € 30 on delivery

PACKAGING

Together with the products, their containers/packaging and packaging are also definitively sold. The collection and/or disposal of empty or semi-finished containers is, at every stage, the responsibility of the user of the product. (Legislative Decree no. 22/1997).

RECLAMI/RESI

The customer must check the goods upon arrival. Any shortages, breakdowns, anomalies or defects of the packages must be immediately contested to the carrier, in full writing on the delivery note, having it countersigned by the courier as well. The claim for defective goods or not responding to the required quality must be notified in writing to the company within 7 days of discovering the defect and in any case no later than 3 months from the date of delivery of the products. We do not accept returns of goods without our prior written permission.

WARRANTIES FOR DEFECTS

In case of defects and/or non-conformity of the products, found within 6 months from delivery, and communicated in writing within 7 days of their identification, the seller's liability will be limited to the withdrawal of the defective goods or their replacement: any other compensation for damages is consequently excluded. The seller guarantees the compliance of its products with the characteristics and specifications expressly agreed and described in the contract or in the documents attached to the D.D.T. We do not assume responsibility of any kind for the damages derived from the use of our products, as the conditions of use are not under our direct control. Our customers are required to check, from time to time, whether our products are suitable for the cycles and application systems adopted by them. However, we are available to issue written guarantees, limited to the consistency of our products with respect to the quality initially ascertained, provided that for each order two sealed samples are taken, one of which will remain with us and the other with the customer.

PROHIBITION OF ACTION

The Customer may not bring legal action against CAP Arreghini S.p.A. unless it has first fully paid all of the agreed and pending payments.

JURISDICTION

For any dispute arising from this contract or connected to it, the Court of Pordenone will have exclusive jurisdiction.



CAP ARREGHINI SpA

ITALIAN PAINTS SINCE 1950
V.le Pordenone, 80 - 30026 PORTOGRUARO (VE)
Tel. +39 0421 278111 - Fax +39 0421 278115
info@caparreghini.it - www.caparreghini.it
Azienda con Sistema Certificato
UNI EN ISO 9001 - UNI EN ISO 14001